



, 2012.

9

( )

( )

$\hat{\delta}$

( )

40

( )

2,5-7,2


15

[3].

$\hat{\delta}$

II

( . . 1).



. 1  $\hat{\delta}$


:

- ( ),
- ( ),
- ( );
- ( ).

[3].

$$C_k(t_k) = C_0 + \int_{t_0}^{t_k} \left[ \sum_{i=1}^n f1_i(t) - \sum_{j=1}^m f2_j(t) \right] dt = C_0 + \sum_{i=1}^n \int_{t_0}^{t_k} f1_i(t) dt - \sum_{j=1}^m \int_{t_0}^{t_k} f2_j(t) dt, \quad (1)$$

:  
 $f1_i(t)$  —  
 $f2_j(t)$  —  
 $C_k(t)$  —  
 $n$  —  
 $m$  —  
 ( . 2).



. 2 ô

- "  $\emptyset$  - , 2012. 9 : , , " 123
- [4,5];
  - ( ), ;
  - - , ;
  - ( );
  - $\emptyset$  ( ).
- C [6,7].  
 $\emptyset$  .  
 $\emptyset$  ,
- .  $\emptyset$  , [8].
- ( ) , , , : , , .
- ( , . .).
- , -  $\emptyset$  .
- ,
- :
1. Gribok A., Vigersky R., Reifman, J. Universal Glucose Models for Predicting Subcutaneous Glucose Concentration in Humans. // IEEE Transactions on Information Technology in Biomedicine, Vol. 14, No. 1, (January 2010),  $\emptyset$  .157-165.
  2. [ ]/  $\emptyset$  . . . .  $\emptyset$  : <http://diabetic.com.ua/?p=331> (10.04.2012).  $\emptyset$  .
  3. Heise T, Nosek L, Rønn BB, Endahl L, Heinemann L, Kapitza C, Draeger E. Lower within-subject variability of insulin detemir in comparison to NPH insulin and insulin glargine in people with type 1 diabetes. *Diabetes*. 2004;53(6):1614-20.
  4. Stahl F., Johansson, R. Diabetes mellitus modelling and short-term prediction based on blood glucose measurements. *Mathematical Biosciences*, Vol. 217, No. 2, (February 2009),  $\emptyset$  p.101-117.
  5. R. O. Foster, J. S. Soeldner, M. H. Tan, and J. R. Guyton, "Short term glucose homeostasis in man: A system dynamic model," *Trans. Amer.Soc. Mech. Eng. (ASME)*, pp. 3086314, 2010.
  6. R. A. Rizza, L. J. Mandarino, and J. E. Gerich, "Dose-response characteristics for effects of insulin on production and utilization of glucose in man," *Amer. J. Physiol.*, vol. 240, pp. E6306E639, 2011.
  7. Berger M, Cüppers HJ, Hegner H, Jörgens V, Berchtold P. Absorption kinetics and biologic effects of subcutaneously injected insulin preparations. *Diabetes Care*. 1982;5(2):77-91.
  8. Hovorka R, Canonico V, Chassin LJ, Haueter U, Massi-Benedetti M, Orsini Federici M, Pieber TR, Schaller HC, Schaupp L, Vering T, Wilinska ME. Nonlinear model predictive control of glucose concentration in subjects with type 1 diabetes. *Physiol Meas*. 2004;25(4):905-20.